




















Sr. No.	PRODUCT	DESCRIPTION	NZD
1	 ETERNITY GENX12SAC	<p>Type: Hardware Platform for UNIFIED COMMUNICATION SERVER OR UNIVERSAL MEDIA GATEWAY</p> <p>Max. IP Trunks: 99 (license-free)</p> <p>Max. IP Users: 999</p> <p>Max. VOCODER CHNLS: 128</p> <p>Max. VMS CHNLS: 64</p> <p>ETERNITY GE NEXT-GENERATION PLATFORM WITH CPU CARD, 12 UNIVERSAL SLOTS AND AC POWER SUPPLY IN 19INCH 4U ENCLOSURE. VOCODER AND VOICE MAIL HARDWARE DAUGHTER-BOARDS ARE NOT INCLUDED.</p>	497
2	 ETERNITY GENX12SDC	<p>Type: Hardware Platform for UNIFIED COMMUNICATION SERVER OR UNIVERSAL MEDIA GATEWAY</p> <p>Max. IP Trunks: 99 (license-free)</p> <p>Max. IP Users: 999</p> <p>Max. VOCODER CHNLS: 128</p> <p>Max. VMS CHNLS: 64</p> <p>ETERNITY GE NEXT-GENERATION PLATFORM WITH CPU CARD, 12 UNIVERSAL SLOTS AND 48VDC POWER SUPPLY IN 19INCH 4U ENCLOSURE. VOCODER AND VOICE MAIL HARDWARE DAUGHTER-BOARDS ARE NOT INCLUDED.</p>	702
3	 SARVAM UCS SME	LICENSE FOR UNIFIED COMMUNICATION SERVER FOR SME.LICENSE FOR SERVER ETERNITYGENX. <b>PRELOADED WITH LICENSES FOR 4 SLOTS, 5 IPSUB, 4 VOCODER CHANNELS AND 4 VOICE MAIL CHANNELS.</b> FOR VOCODER AND VOICE MAIL, RESPECTIVE DAUGHTER-BOARDS ARE REQUIRED.	132
4	 SARVAM UMG SME	<p>MATRIX SARVAM UNIVERSAL MEDIA GATEWAY FOR SME. <b>PRELOADED WITH LICENSE FOR 4 VOCODER CHANNELS AND WITH LICENSES FOR 4 SLOTS.</b></p> <p>SUPPORTED INTERFACES: FXS, FXO, T1E1 PRI, ISDN BRI, GSM/3G, VOIP(SIP)</p>	404
5	 SARVAM EXP4 SME	LICENSE TO EXPAND 4 SLOTS IN ETERNITY GENX - UNIFIED COMMUNICATION SERVER FOR SME.	221
6	 NX DBM VOCODER64	<p>VOCODER DAUGHTER-BOARD MODULE (HARDWARE) FOR ETERNITY GENX CPU CARDS CAPABLE TO SUPPORT MAXIMUM 64 SIMULTANEOUS VOCODING CHANNELS. UCS AND UMG SERVER LICENSES ARE SUPPLIED WITH 4 BUILT-IN VOCODER CHANNELS. ADDITIONAL VOCODER CHNL LICENSE IS REQUIRED TO ACTIVATE DESIRED NUMBER OF CHANNELS.</p> <p>Max. Number of Modules on CPU Card: 2 (128 Channels)</p>	318
7	 NX DBM VMS64	<p>VOICE MAIL DAUGHTER-BOARD MODULE (HARDWARE) HAVING CAPABILITY TO SUPPORT MAXIMUM 64 SIMULTANEOUS VOICE MAIL SESSIONS FOR ETERNITY GENX/MENX/LENX CPU CARD. SEPARATE VMS CHANNEL LICENSE IS REQUIRED TO ACTIVATE DESIRED NUMBER OF CHANNELS.</p> <p>Max. Number of Modules on CPU Card: 1 (64 Channels)</p>	249
8	 ETERNITY GE CARD SLT20	<p>Type: Expansion Card for Analog Extensions (SLT)</p> <p>SLT Ports: 20</p> <p>Compatible PBX: ETERNITY GENX and GE Series</p>	473
9	 ETERNITY GE CARD SLT16	<p>Type: Expansion Card for Analog Extensions (SLT)</p> <p>SLT Ports: 16</p> <p>Compatible PBX: ETERNITY GENX and GE Series</p>	392
10	 ETERNITY GE Card SLT8	<p>Type: Expansion Card for Analog Extensions (SLT)</p> <p>SLT Ports: 8</p> <p>Compatible PBX: ETERNITY GENX and GE Series</p>	225


11	 <p><b>ETERNITY GE Card DKP16</b></p>	<p>Type: Expansion Card for Digital Key Phones (DKP)  DKP Ports: 16  Compatible PBX: ETERNITY GENX and GE Series</p>	<b>583</b>
12	 <p><b>ETERNITY GE Card DKP8</b></p>	<p>Type: Expansion Card for Digital Key Phones (DKP)  DKP Ports: 8  Compatible PBX: ETERNITY GENX and GE Series</p>	<b>339</b>
13	 <p><b>ETERNITY GE Card DKP4+SLT16</b></p>	<p>Type: Expansion Card for Digital Key Phones (DKP) and Analog Extensions (SLT)  DKP Ports: 4  SLT Ports: 16  Compatible PBX: ETERNITY GENX and GE Series</p>	<b>578</b>
14	 <p><b>ETERNITY GE Card CO4+DKP2+SLT12</b></p>	<p>Type: Expansion Card for Analog Trunks (CO), Digital Key Phones (DKP) and Analog Extensions (SLT)  CO Ports: 4  DKP Ports: 2  SLT Ports: 12  Compatible PBX: ETERNITY GENX and GE Series  Note: Built-in Power Failure Transfer on first 2 CO ports</p>	<b>578</b>
15	 <p><b>ETERNITY GE Card CO4+DKP2+SLT8</b></p>	<p>Type: Expansion Card for Analog Trunks (CO), Digital Key Phones (DKP) and Analog Extensions (SLT)  CO Ports: 4  DKP Ports: 2  SLT Ports: 8  Compatible PBX: ETERNITY GENX and GE Series  Note: Built-in Power Failure Transfer on first 2 CO ports</p>	<b>470</b>
16	 <p><b>ETERNITY GE Card CO2+DKP2+SLT16</b></p>	<p>Type: Expansion Card for Analog Trunks (CO), Digital Key Phones (DKP) and Analog Extensions (SLT)  CO Ports: 2  DKP Ports: 2  SLT Ports: 16  Compatible PBX: ETERNITY GENX and GE Series</p>	<b>578</b>
17	 <p><b>ETERNITY GE Card CO4+SLT16</b></p>	<p>Type: Expansion Card for Analog Trunks (CO) and Analog Extensions (SLT)  CO Ports: 4  SLT Ports: 16  Compatible PBX: ETERNITY GENX and GE Series</p>	<b>578</b>
18	 <p><b>ETERNITY GE Card CO16</b></p>	<p>Type: Expansion Card for Analog Trunks (CO)  CO Ports: 16  Compatible PBX: ETERNITY GENX and GE Series</p>	<b>617</b>
19	 <p><b>ETERNITY GE Card CO8</b></p>	<p>Type: Expansion Card for Analog Trunks (CO)  CO Ports: 8  Compatible PBX: ETERNITY GENX and GE Series</p>	<b>330</b>
20	 <p><b>ETERNITY GE Card BRI4</b></p>	<p>Type: Expansion Card for ISDN BRI Ports  ISDN BRI Ports: 4  Compatible PBX: ETERNITY GENX and GE Series</p>	<b>584</b>

21	 <p><b>ETERNITY GE Card SINGLE T1E1PRI</b></p>	<p>Type: Expansion Card for T1/E1/PRI Port  T1/E1/PRI Port: 1  Compatible PBX: ETERNITY GENX and GE Series</p>	617
22	 <p><b>ETERNITY GE Card SINGLE E1FOPRI</b></p>	<p>Type: Expansion Card for E1 PRI Ports over Fiber Optic  E1/PRI Ports: 1  Compatible PBX: ETERNITY GENX and GE Series</p> <p>Note: T1 is not supported</p>	731
23	 <p><b>ETERNITY GE Card GSM4</b></p>	<p>Type: Expansion Card for GSM Ports  GSM Ports: 4  Compatible PBX: ETERNITY GENX and GE Series  Type of Antenna: SMA  No. of Antenna: 1 (Extended)  Frequency Bands: Quad-Band: GSM850, EGSM900, DCS1800, PCS1900</p>	777
24	 <p><b>ETERNITY GE Card 3G GSM4</b></p>	<p>Type: Expansion Card for GSM Ports  GSM Ports: 4  Compatible PBX: ETERNITY GENX and GE Series  Type of Antenna: SMA  No. of Antenna: 1 (Extended)  Frequency Bands: Quad-Band: GSM850, EGSM900, DCS1800, PCS1900</p>	1074
25	 <p><b>ETERNITY GE Card E&amp;M4</b></p>	<p>Type: Expansion Card for E&amp;M Ports  E&amp;M Ports: 4  Compatible PBX: ETERNITY GENX and GE Series</p>	450
26	 <p><b>ETERNITY GE Card RIC4</b></p>	<p>Type: Radio Interface Card  Built-in Ports: 4 Radio Ports  Compatible PBX: ETERNITY GENX and GE Series</p>	954
27	 <p><b>ETERNITY GENX Card PSUNI</b></p>	<p>Type: AC Power Supply Card  Input Voltage: 100-240VAC, 47-63 Hz  Compatible PBX: ETERNITY GENX and GE Series</p>	454
28	 <p><b>ETERNITY GE Card PS48VDC</b></p>	<p>Type: DC Power Supply Card  Input Voltage: 48VDC  Compatible PBX: ETERNITY GENX, GE Series</p>	522
29	 <p><b>ETERNITY GE CARD DATA4</b></p>	<p>Type: DATA Card  Built-in Ports: 4  Compatible PBX: ETERNITY GENX and GE Series  Application: Data Transfer over E1PRI</p>	951
30	 <p><b>ETERNITY GE CARD MAGNETO4</b></p>	<p>Type: MAGNETO Card  Built-in Ports: 4  Compatible PBX: ETERNITY GENX and GE Series</p>	617

31	 <p>ETERNITY GENX Card CPU</p>	<p><b>Type:</b> CPU Card without NX DBM VOCODER AND VMS Modules</p> <p><b>Built-in Ports:</b> 1 RS232C, 1 LAN and 1 WAN Port</p> <p><b>Compatible PBX:</b> ETERNITY GENX Series</p>	455
32	 <p>SARVAM VOCODER CHNL4</p>	LICENSE FOR VOICE MAIL CHANNELS FOR SARVAM UCS TO SUPPORT 4 SIMULTANEOUS VOICE MAIL SESSIONS. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.	212
33	 <p>SARVAM VOCODER CHNL16</p>	LICENSE FOR VOCODER CHANNELS FOR SARVAM UCS AND SARVAM UMG TO SUPPORT 16 SIMULTANEOUS CALLS WITH TRANSCODING. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.	803
34		LICENSE FOR VOICE MAIL CHANNELS FOR SARVAM UCS TO SUPPORT 4 SIMULTANEOUS VOICE MAIL SESSIONS. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.	123
35		LICENSE FOR VOICE MAIL CHANNELS FOR SARVAM UCS TO SUPPORT 16 SIMULTANEOUS VOICE MAIL SESSIONS. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.	441
36	 <p>SARVAM IPSUB5</p>	<p>LICENSE FOR 5 IP SUBSCRIBER FOR SARVAM UCS TO CREATE 5 VOIP SUBSCRIBERS. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><i>Note: NX DBM VOCODER64 is required.</i></p>	105
37	 <p>SARVAM IPSUB10</p>	<p>LICENSE FOR 10 IP SUBSCRIBER FOR SARVAM UCS TO CREATE 10 VOIP SUBSCRIBERS. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><i>Note: NX DBM VOCODER64 is required.</i></p>	202
38	 <p>SARVAM IPSUB50</p>	<p>LICENSE FOR 50 IP SUBSCRIBER FOR SARVAM UCS TO CREATE 10 VOIP SUBSCRIBERS. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><i>Note: NX DBM VOCODER64 is required.</i></p>	951
39	 <p>SARVAM IPSUB100</p>	<p>LICENSE FOR 100 IP SUBSCRIBER FOR SARVAM UCS TO CREATE 10 VOIP SUBSCRIBERS. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><i>Note: NX DBM VOCODER64 is required.</i></p>	1765
40	 <p>SARVAM IPSUB500</p>	<p>LICENSE FOR 500 IP SUBSCRIBER FOR SARVAM UCS TO CREATE 10 VOIP SUBSCRIBERS. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><i>Note: NX DBM VOCODER64 is required.</i></p>	7936
41	 <p>SARVAM VARTA USERSE</p>	<p>LICENSE FOR 5 VARTA UCS SOFT CLIENTS WITH ESSENTIAL FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS DESKTOP UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> CALL FORWARD, CONFERENCE (3-PARTY), DND, HOLD, PRESENCE, TRANSFER, VOICE MAIL</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	105

42	 <p><b>SARVAM VARTA USER10E</b></p>	<p>LICENSE FOR 10 VARTA UCS SOFT CLIENTS WITH ESSENTIAL FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS DESKTOP UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> CALL FORWARD, CONFERENCE (3-PARTY), DND, HOLD, PRESENCE, TRANSFER, VOICE MAIL</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>202</b>
43	 <p><b>SARVAM VARTA USER50E</b></p>	<p>LICENSE FOR 50 VARTA UCS SOFT CLIENTS WITH ESSENTIAL FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS DESKTOP UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> CALL FORWARD, CONFERENCE (3-PARTY), DND, HOLD, PRESENCE, TRANSFER, VOICE MAIL</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>951</b>
44	 <p><b>SARVAM VARTA USER100E</b></p>	<p>LICENSE FOR 100 VARTA UCS SOFT CLIENTS WITH ESSENTIAL FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS DESKTOP UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> CALL FORWARD, CONFERENCE (3-PARTY), DND, HOLD, PRESENCE, TRANSFER, VOICE MAIL</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>1765</b>
45	 <p><b>SARVAM VARTA USER500E</b></p>	<p>LICENSE FOR 500 VARTA UCS SOFT CLIENTS WITH ESSENTIAL FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS DESKTOP UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> CALL FORWARD, CONFERENCE (3-PARTY), DND, HOLD, PRESENCE, TRANSFER, VOICE MAIL</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>7936</b>
46	 <p><b>SARVAM VARTA USER5P</b></p>	<p>LICENSE FOR 5 VARTA UCS SOFT CLIENTS WITH PROFESSIONAL FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS DESKTOP UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> 1000 DSS KEYS, 600 BLF KEYS, DRAG &amp; DROP CONFERENCE, MULTI-PARTY CONFERENCE</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>263</b>
47	 <p><b>SARVAM VARTA USER10P</b></p>	<p>LICENSE FOR 10 VARTA UCS SOFT CLIENTS WITH PROFESSIONAL FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS DESKTOP UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> 1000 DSS KEYS, 600 BLF KEYS, DRAG &amp; DROP CONFERENCE, MULTI-PARTY CONFERENCE</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>476</b>
48	 <p><b>SARVAM VARTA USER50P</b></p>	<p>LICENSE FOR 50 VARTA UCS SOFT CLIENTS WITH PROFESSIONAL FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS DESKTOP UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> 1000 DSS KEYS, 600 BLF KEYS, DRAG &amp; DROP CONFERENCE, MULTI-PARTY CONFERENCE</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>2032</b>
49	 <p><b>SARVAM VARTA USER100P</b></p>	<p>LICENSE FOR 100 VARTA UCS SOFT CLIENTS WITH PROFESSIONAL FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS DESKTOP UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> 1000 DSS KEYS, 600 BLF KEYS, DRAG &amp; DROP CONFERENCE, MULTI-PARTY CONFERENCE</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>3481</b>
50	 <p><b>SARVAM VARTA USER500P</b></p>	<p>LICENSE FOR 500 VARTA UCS SOFT CLIENTS WITH PROFESSIONAL FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS DESKTOP UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> 1000 DSS KEYS, 600 BLF KEYS, DRAG &amp; DROP CONFERENCE, MULTI-PARTY CONFERENCE</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>16601</b>
51	 <p><b>SARVAM VARTA USER5C</b></p>	<p>LICENSE FOR 5 VARTA UCS SOFT CLIENTS WITH PREMIUM COLLABORATION FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> Outlook Call Integration, Outlook Calendar Integration, IM through Outlook, Presence Status from Outlook</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>304</b>
52	 <p><b>SARVAM VARTA USER10C</b></p>	<p>LICENSE FOR 10 VARTA UCS SOFT CLIENTS WITH PREMIUM COLLABORATION FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> Outlook Call Integration, Outlook Calendar Integration, IM through Outlook, Presence Status from Outlook</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>538</b>

53	 <p><b>SARVAM VARTA USER50C</b></p>	<p>LICENSE FOR 50 VARTA UCS SOFT CLIENTS WITH PREMIUM COLLABORATION FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> Outlook Call Integration, Outlook Calendar Integration, IM through Outlook, Presence Status from Outlook</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>2338</b>
54	 <p><b>SARVAM VARTA USER100C</b></p>	<p>LICENSE FOR 100 VARTA UCS SOFT CLIENTS WITH PREMIUM COLLABORATION FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> Outlook Call Integration, Outlook Calendar Integration, IM through Outlook, Presence Status from Outlook</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>2503</b>
55	 <p><b>SARVAM VARTA USER500C</b></p>	<p>LICENSE FOR 500 VARTA UCS SOFT CLIENTS WITH PREMIUM COLLABORATION FEATURES. SARVAM UCS NEEDS THIS LICENSE TO REGISTER ANDROID/IOS/WINDOWS UCS CLIENTS. THIS LICENSE IS NOT REQUIRED FOR HARDWARE IP-PHONES. COMMON FOR ALL TYPES OF SMB, SME AND ENT UCS SERVERS.</p> <p><b>FEATURE SET:</b> Outlook Call Integration, Outlook Calendar Integration, IM through Outlook, Presence Status from Outlook</p> <p><i>Note: One IP SUBSCRIBER needs to be activated Equivalent for every IP user.</i></p>	<b>19089</b>
56	 <p><b>SARVAM SMS GATEWAY SME</b></p>	<p>LICENSE TO ENABLE SMS GATEWAY FUNCTIONALITY FOR SARVAM UCS SME TO CONNECT TO THIRD-PARTY SMS GATEWAY CLIENT (SMPP V3.4) TO SEND/RECEIVE SMS OVER GSM SIM INSTALLED ON GSM INTERFACE CARD. THIRD-PARTY SMS GATEWAY CLIENT IS REQUIRED TO BE INSTALLED ON PC/LAPTOP.</p>	<b>341</b>
57	 <p><b>SARVAM SMS SERVER SME</b></p>	<p>LICENSE TO ENABLE SMS SERVER FUNCTIONALITY FOR SARVAM UCS SME TO CONNECT TO ANY EMAIL CLIENT (I.E. OUTLOOK, GMAIL, YAHOO ETC.) IT IS USED TO SEND/RECEIVE EMAIL TO SMS AND VICEVERSA OVER GSM SIM INSTALLED ON GSM INTERFACE CARD.</p>	<b>341</b>
58	 <p><b>SARVAM HOSPITALITY SME</b></p>	<p>LICENSE TO ENABLE HOSPITALITY FUNCTIONS SUITE FOR SARVAM UCS SME TO SUPPORT HOSPITALITY FUNCTIONS AND FEATURES USED IN HOTEL-MOTEL.</p> <p><b>FEATURE SET:</b> CHECK-IN, CHECK-OUT, FLOOR SERVICE, ROOM CLEAN STATUS, ROOM OCCUPANCY STATUS, ROOM SHIFT</p>	<b>358</b>
59	 <p><b>SARVAM PMS SME</b></p>	<p>LICENSE TO ENABLE PROPERTY MANAGEMENT SYSTEM INTERFACE FOR SARVAM UCS SME TO INTEGRATE WITH THIRD PARTY PROPERTY MANAGEMENT SYSTEM (PMS) USED IN A HOTEL-MOTEL.</p> <p><i>Note: SARVAM PMS SME needs SARVAM HOSPITALITY SME.</i></p>	<b>358</b>
60	 <p><b>SARVAM GATEWAY SME</b></p>	<p>LICENSE FOR SARVAM UCS SME TO SUPPORT GATEWAY FUNCTIONS IN ADDITION TO UCS FUNCTIONS. THIS LICENSE ALLOWS USING SARVAM AS UCS AND GATEWAY SIMULTANEOUSLY. THIS IS DIFFERENT FROM DEDICATED UMG GATEWAY APPLICATION.</p>	<b>932</b>
61	 <p><b>SARVAM QSIG SME</b></p>	<p>LICENSE FOR QSIG INTERFACE FOR SARVAM UCS SME TO CONNECT WITH OTHER MATRIX OR THIRD PARTY PBX USING ISDN PRI FOR SEAMLESS CALLING AND INTERWORKING OF CERTAIN PBX FEATURES.</p>	<b>223</b>

62	 <p><b>SARVAM CTI SME</b></p>	<p>LICENSE TO ENABLE TAPI 2.2 FOR SARVAM UCS SME TO CONNECT TO THIRD PARTY CTI APPLICATION.</p> <p><i>Note: Download TAPI driver from Matrix FTP server.</i></p>	358
----	--	--	-----

BRIEF TERMS & CONDITIONS, WARRANTY

All Sales from Switchcare Ltd are subject to our Terms of Trade. Available on our Web Site

Prices are Exclusive of GST, Freight and any other charges from whatever source.

All sales are deemed final when collected by any means from any of our facilities. Our courier Ticket is proof of delivery

Prices & specifications subject to change without notice

Items on Indent are NOT returnable and are paid for in advance

Sales are subject to availability. Please enquire for availability.

Warranty: All items contained within the cabinet of IP-PABX have 8 year warranty and is applicable to the original sale only & only if installed by approved Switchcare installer

ALL other sales have one year warranty

ALL warranty claims are RTB of our choosing. Warranty claims MUST Have original Switchcare LTD Invoice

Returns are at senders expense & MUST be made within 7 days and an RMA MUST be obtained from Switchcare Ltd before sending

E&OE